## WHAT IS CLAIMED IS:

- 1. A method for making additional terms available to a searching process, the method comprising:
  - receiving a string that incorporates a plurality of characters separated by at least one space;
  - concatenating the plurality of characters
    to form at least one additional term;
    and
  - providing said at least one additional term to the search process.
- The method of claim 1, wherein, receiving a string comprises receiving a string that incorporates a first set of characters separated by a space from a second set of characters; and concatenating comprises concatenating the first and second sets of characters.
- 3. The method of claim 2, wherein the first and second sets of characters are each a single character.
- 4. The method of claim 1, and further comprising preprocessing the string.

- 5. The method of claim 4, wherein preprocessing includes removing at least one extraneous character from the string.
- 6. The method of claim 1, and further comprising suppressing at least one additional term.
- 7. The method of claim 1, wherein the method is executed upon a client system.
- 8. The method of claim 1, wherein the method is executed upon a server.
- 9. The method of claim 1, wherein the string includes N words, and wherein (N-1)(N/2) additional search terms are provided to the search process.
- 10. The method of claim 1, wherein the string is a search string.
- 11. The method of claim 1, wherein the string is a search result string.
- 12. The method of claim 1, wherein the method steps are executed as program instruction embedded on a computer readable medium.
- 13. A method for making additional terms available to a searching process, the method comprising:

- receiving a string that incorporates a plurality of characters separated by at least one hyphen;
- removing the at least one hyphen to form at least one additional term; and
- providing said at least one additional term to the searching process.
- 14. The method of claim 13, wherein the method steps are executed as program instruction embedded on a computer readable medium.
- 15. A method for making additional terms available to a searching process, the method comprising:
  - receiving a string that incorporates a plurality of characters separated by at least one hyphen;
  - replacing the hyphen with a space to form at least one additional term; and providing said at least one additional term to the search engine.
- 16. The method of claim 15, wherein the method steps are executed as program instruction embedded on a computer readable medium.
- 17. A method for making additional terms available to a searching process, the method comprising:

- receiving a string that incorporates a plurality of characters separated by at least one space;
- replacing said at least one space with a hyphen to form at least one additional term; and
- providing said at least one additional term to the search engine.
- 18. The method of claim 17, wherein the method steps are executed as program instruction embedded on a computer readable medium.
- 19. A method for making additional terms available to a searching process, the method comprising:
  - receiving a string that incorporates a plurality of terms separated by a space or a hyphen;
  - generating at least one additional term by performing an operation selected from the group consisting of removing a space between the plurality of terms, removing a hyphen between the plurality of terms, replacing a space between the plurality of terms with a hyphen, and replacing a hyphen between the plurality of terms with a space; and

providing said at least one additional term to the searching process.